

Stormwater Requirements Checklist

For Small Projects

Municipal Regional Stormwater Permit (MRP)
Order No. R2-2009-0074 ; Order No. R2-2011-0083
NPDES No. CAS612008

Complete this form for stand-alone single family home projects that create and/or replace 2,500 square feet or more of impervious surface. (*Impervious Surface: A surface covering or pavement of a developed parcel of land that prevents the land's natural ability to absorb and infiltrate rainfall/stormwater. Impervious surfaces include, but are not limited to, roof tops; walkways; patios; driveways; parking lots; storage areas; impervious concrete and asphalt; and any other continuous watertight pavement or covering.*)

Project Information

Project Name: _____
Project Address: _____
Project APN: _____

Select Appropriate Site Design Measures

Does the project create and/or replace 2,500 square feet or more of impervious surface¹? Yes No

- If yes, and the project will receive final discretionary approval on or after December 1, 2012, the project **must include one** of Site Design Measures a through f.² Fact sheets regarding site design measures a through f may be downloaded at http://www.flowstobay.org/bs_new_development.php#flyers.
- If no, or the project will receive final discretionary approval before December 1, 2012, the project is encouraged to implement site design measures³, which may be required at municipality discretion. Consult with municipal staff about requirements for your project.

Is the site design measure included in the project plans?

| Yes | No | Plan Sheet No. |
|--------------------------|--------------------------|--|
| <input type="checkbox"/> | <input type="checkbox"/> | a. Direct roof runoff into cisterns or rain barrels and use rainwater for irrigation or other non-potable use. |
| <input type="checkbox"/> | <input type="checkbox"/> | b. Direct roof runoff onto vegetated areas. |
| <input type="checkbox"/> | <input type="checkbox"/> | c. Direct runoff from sidewalks, walkways, and/or patios onto vegetated areas. |
| <input type="checkbox"/> | <input type="checkbox"/> | d. Direct runoff from driveways and/or uncovered parking lots onto vegetated areas. |
| <input type="checkbox"/> | <input type="checkbox"/> | e. Construct sidewalks, walkways, and/or patios with permeable surfaces. |
| <input type="checkbox"/> | <input type="checkbox"/> | f. Construct bike lanes, driveways, and/or uncovered parking lots with permeable surfaces. |

Name of applicant completing the form: _____

Signature: _____ Date: _____

Notes/Comments (for municipal staff use only):

¹ Complete the C.3/C.6 Development Review Checklist if the project is not an individual single family home, and it creates and/or replaces 10,000 square feet or more of impervious surface; or if it is a restaurant, retail gasoline outlet, auto service facility, or parking lot project that creates and/or replaces 5,000 square feet or more of impervious surface.

² See MRP Provision C.3.i.

³ See MRP Provision C.3.a.i.(6).